

View this article online at: patient.info/health/fine-needle-aspiration

Fine-needle Aspiration

In fine-needle aspiration a thin, hollow needle is used to take a sample of cells from an organ or lump under the skin. The cells are then analysed under a microscope.

Note: the information below is a general guide only. The arrangements and the way tests are performed, may vary between different hospitals. Always follow the instructions given by your doctor or local hospital.

What is fine-needle aspiration?

Fine-needle aspiration involves using a thin, hollow needle to remove samples of cells from tissue or fluid in an organ or a lump. It is not quite the same as a biopsy, which takes a very small chunk of tissue away. Once the samples of cells have been removed, they are sent to the laboratory for further testing.

Fine-needle aspiration is usually done to identify the type of cells inside a lump or to see how well treatment of an existing lump is working.

It is commonly used to investigate **lumps found in the breast** or a **gland found in your neck (the thyroid)**. However, it can also be used in other parts of the body. It is a very useful way of detecting cancer.

How does fine-needle aspiration work?

A very thin, hollow needle is gently inserted through the skin into the lump or organ below. Often there is a syringe attached to the needle. The doctor can use the syringe to help 'suck' some of the cells into the needle by gently pulling on the plunger.


Usually, the test can be done without the need to make a cut in the skin. **This helps to minimise any discomfort for the person having the test, as well as the risk of infection or other complications.**

If the lump being tested is very small it might be necessary to use a scanning machine to help guide the needle to the right place. This may be done by an **ultrasound scan**, a **computerised tomography (CT) scan** or an X-ray of the breast (a **mammogram**).

What happens?

The doctor will clean the skin where the needle is to be inserted. In some cases you will also be given a local anaesthetic to numb the area. This may not be necessary if the lump is very close to the surface of your skin.

The doctor will hold the lump steady with one hand and insert a thin needle (which may be attached to a syringe) into the lump.



They may move the needle in and out of the area to make sure of getting enough tissue or fluid. If there is a syringe attached they will gently pull back on the plunger to help remove the tissue or fluid. The process takes a few seconds to a few minutes. The needle will then gently be removed and your doctor may apply some pressure to help stop any bleeding.

If the doctor cannot easily feel the lump, you may have an imaging test, such as a CT scan, ultrasound scan, or mammogram to see where to put the needle. In this case, a doctor known as a radiologist may do the aspiration. The radiologist may do the investigation but they will not know the result immediately.

If the lump is a fluid-filled sac (a cyst), the fluid is removed and the lump usually goes away.

After the test is over, the cells taken from the needle are sent to the laboratory. **It may take a few days to get the results of the test back**, depending on what part of your body has been tested.

What should I do to prepare for a fine-needle aspiration?

This depends on what part of your body is being tested. Your local hospital should give you information on what is required. Usually very little preparation is necessary.

Note: if you take a blood-thinning medicine (an anticoagulant) such as warfarin, you may be asked to stop taking this for a few days before the procedure.

What can happen after a fine-needle aspiration?

Most fine-needle aspirations are carried out without any problems.

Commonly, you may feel a little sore for a couple of days after the test. You may develop a bruise at the site where the needle was inserted. Complications are uncommon but can include:

- Bleeding or bruising. This should stop and heal quickly.
- Infection at the point where the needle went in.
- Other complications specific to the site of needle insertion.

Further reading & references

- [VanderLaan PA](#); Fine-needle aspiration and core needle biopsy: An update on 2 common minimally invasive tissue sampling modalities. *Cancer Cytopathol.* 2016 Dec;124(12):862-870. doi: 10.1002/cncy.21742. Epub 2016 May 16.
- [Karadeniz Cakmak G, Emre AU, Tascilar O, et al](#); Diagnostic adequacy of surgeon-performed ultrasound-guided fine needle aspiration biopsy of thyroid nodules. *J Surg Oncol.* 2012 Jul 5. doi: 10.1002/jso.23212.
- [Yu YH, Wei W, Liu JL](#); Diagnostic value of fine-needle aspiration biopsy for breast mass: a systematic review and meta-analysis. *BMC Cancer.* 2012 Jan 25;12:41.

Disclaimer: This article is for information only and should not be used for the diagnosis or treatment of medical conditions. Patient Platform Limited has used all reasonable care in compiling the information but makes no warranty as to its accuracy. Consult a doctor or other healthcare professional for diagnosis and treatment of medical conditions. For details see our [conditions](#).

Author: Dr Roger Henderson	Peer Reviewer: Dr Hannah Gronow	
Document ID: 12696 (v4)	Last Checked: 22/11/2018	Next Review: 21/11/2021

View this article online at: patient.info/health/fine-needle-aspiration

Discuss Fine-needle Aspiration and find more trusted resources at [Patient](#).

Ask your doctor about Patient Access

- 🔑 Book appointments
- 🔑 Order repeat prescriptions
- 🔑 View your medical record
- 🔑 Create a personal health record (iOS only)



Simple, quick and convenient.
**Visit patient.info/patient-access
or search 'Patient Access'**