

View this article online at: [patient.info/health/lipoma-leaflet](https://patient.info/health/lipoma-leaflet)

# Lipoma

---

A **lipoma** is a non-cancerous (benign) fatty lump that usually causes no symptoms or problems. Most lipomas are small and are best left alone. However, a lipoma that develops under the skin can sometimes look unsightly. If required, it can be removed by a simple operation done under local anaesthetic.

---

## What is a lipoma?

A lipoma is a soft fatty lump. It is a non-cancerous (benign) growth made up from fat cells that clump together. A lipoma can occur in any part of the body where there are fat cells.



### Large lipoma on the back

Lipomas typically feel soft and can be felt to move slightly under your skin when you press on them.

### Lipomas under the skin are the most common

Lipomas often form in the fatty tissue under the skin. These are also the most noticeable ones, as they look and feel like soft, dome-shaped lumps under the skin. They vary in size from pea-sized to several centimetres in diameter. The most common sites where lipomas develop are on the shoulders, the chest and the back. However, other areas of the skin can develop a lipoma.

### Other parts of the body

Lipomas can less commonly form inside the body too. However, in most of these cases you will not be aware that you have a lipoma, as you cannot see them and they rarely cause any problems.

## Who develops lipomas and how common are they?

Anyone can develop a lipoma at any age. Lipomas are common. Some people inherit a tendency to develop lipomas and may have several on different parts of the body. Sometimes as many as 20 or more develop. However, it is more common to develop just one or two.

Lipomas can occur in people who are normal weight as well as in people who are overweight.

## What are the symptoms of a lipoma and are they harmful?

In themselves, lipomas are not serious and most lipomas cause no symptoms or problems. Usually if you have a lipoma, it does not cause any symptoms but you notice a painless lump. Lipomas grow very slowly. Sometimes a lipoma under the skin can be unsightly if it grows to be several centimetres across. Rarely, a lipoma may press on another structure and cause problems. For example, if one presses on a nerve it may cause pain. Also, rarely, a lipoma may develop in the gut wall and cause problems such as pain or a blockage of the gut.

Sometimes a scan or other investigation that is done for other reasons may detect a lipoma inside the body by chance. There is a condition called familial multiple lipoma in which groups of fat cells occur under the skin and then produce multiple fatty lumps. This is an uncommon condition and runs in families.

**Note:** lipomas are **always** benign. There is no scientific evidence that a lipoma increases the risk of developing a cancer in the future. However, lipomas can sometimes be mistaken for a cancerous tumour called a liposarcoma. These are usually large (5 cm or more in diameter) and grow rapidly. If you are concerned about a lipoma which has started to increase in size you should consult your doctor.

## Do I need any tests?

Often your doctor will be able to diagnose a lipoma from its typical appearance, and no tests will be needed. In some cases, a scan may be needed to confirm whether your lump is a lipoma. This may be:

- An **ultrasound scan**.
- A **CT scan** or an **MRI scan**.

## Do I need any treatment for a lipoma?

Usually not. If you are not bothered by a lipoma that develops then it is best just to leave it alone. However, some people want lipomas that are unsightly to be removed for cosmetic reasons. For example, if they occur on the face.

Occasionally, a lipoma needs to be removed if it is causing symptoms - for example, by pressing on another part of the body. Sometimes if the diagnosis is not clear, a lipoma is removed to look at under the microscope. This is to make sure the growth that has been detected is a lipoma and not something more serious.

For a lipoma that forms under the skin, usually it can be removed by a simple minor operation. Some local anaesthetic is injected into the skin over the lipoma. Once the overlying skin is numbed by the local anaesthetic, a cut (an incision) is made over the lipoma. The lipoma is then removed and cut away from the underlying tissue. The wound is then stitched up. A fine scar will be left.

**Steroid injections** and liposuction are sometimes used as alternatives to surgery.

## Further reading & references

- [Soft tissue tumors: Lipoma/benign lipomatous tumors](#); Atlas of Genetics and Cytogenetics in Oncology and Haematology, 2013
- [Abd Rabou A et al; Lipoma](#); Radiopaedia.org
- [Weerakkody Y et al; Liposarcoma](#), Radiopaedia.org

**Disclaimer:** This article is for information only and should not be used for the diagnosis or treatment of medical conditions. Patient Platform Limited has used all reasonable care in compiling the information but makes no warranty as to its accuracy. Consult a doctor or other healthcare professional for diagnosis and treatment of medical conditions. For details see our [conditions](#).

Author: Dr Mary Harding	Peer Reviewer: Dr Laurence Knott	
Document ID: 4288 (v40)	Last Checked: 21/07/2016	Next Review: 21/07/2019

View this article online at: [patient.info/health/lipoma-leaflet](http://patient.info/health/lipoma-leaflet)

Discuss Lipoma and find more trusted resources at [Patient](#).

### Ask your doctor about Patient Access

- 🔍 Book appointments
- 🔍 Order repeat prescriptions
- 🔍 View your medical record
- 🔍 Create a personal health record (iOS only)



Simple, quick and convenient.  
Visit [patient.info/patient-access](http://patient.info/patient-access)  
or search 'Patient Access'